



Bid Number/बोली क्रमांक (बिड संख्या):

GEM/2024/B/4917089

Dated/दिनांक : 21-05-2024

**Bid Document/ बिड दस्तावेज़**

<b>Bid Details/बिड विवरण</b>	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	31-05-2024 13:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	31-05-2024 13:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	90 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Defence
<b>Department Name/विभाग का नाम</b>	Department Of Military Affairs
<b>Organisation Name/संगठन का नाम</b>	Indian Army
<b>Office Name/कार्यालय का नाम</b>	*****
<b>Total Quantity/कुल मात्रा</b>	2614
<b>Item Category/मद केटेगरी</b>	Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest) (Q3) , Flushing Cistern (Q3) , Bathroom Water Shower (Q3) , Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest) (Q3) , Towel Rail / Ring for Bathroom (Q3) , Toilet Seat Covers (V2) (Q4) , Connection Pipe with Nuts (V2) (Q3) , Waste Pipe (Q3) , Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 (Q3) , Sinks (Q3)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest)

**Bid Details/बिड विवरण**

<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation

**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	55000

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

CWE  
HQ CWE Dinjan, Dinjan Military Station, Dinjan, Assam, 786189  
(Col Rishikesh)

**Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

### **Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 175 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### **Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Bib Tap (Extended Nozzle) (fig 3 RHS of IS 8931/1993)
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Copper tube
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Plastic
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Forged Brass
	<b>Flange</b>	Leaded Tin Bronze
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	No
	<b>Divertor Provided</b>	Yes
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	No
	<b>ISI marked</b>	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	98	15
2	*****	*****Jorhat	60	15
3	*****	*****TINSUKIA	17	15

**Flushing Cistern ( 54 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Operating Mechanism	Lever Type
	Flushing Operation	Single Flush System
	CAPACITY OF THE CISTERN IN LITRES	10 LTR
	Flush Pipe	With
MATERIAL	Material of Flush Pipe	HDPE
	Material of Cistern	Acrylonitrile-Butadiene-Styrene (ABS)
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	2

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DHEMAJI	24	15
2	*****	*****TINSUKIA	25	15
3	*****	*****TINSUKIA	5	15

**Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 125 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Item and Shape	Stop Valve with External Thread

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut	Leaded Tin Bronze
	Knob, Knob components. Divertor and Divertor Components	Zinc base alloy
	Material of Spindle, Gland, Washer Plate, Nut, screws and pin	Brass Rod (Extruded or Rolled)
	Flange	Leaded Tin Bronze
	Nominal Size (mm)	15
	Tap shall be Nickel Chrome Plated	YES
	Thickness of Ni-Cr Coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	Aerator Device Fiited with Pillar Tap	Yes
	Divertor Provided	Yes
	Flow Straightening Device Fiited with Pillar Tap	Yes
	ISI marked	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	50	15
2	*****	*****Jorhat	75	15

**Bathroom Water Shower ( 20 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	Types of Shower	Hand Shower
CONSTRUCTION	Material	Leaded Tin Bronze Grade LTB-2 of IS 318/1981
	Inlet Length of Shower Pipe (mm)	150.0 (millimeter)
	Shower Diameter / Length (mm)	100
	Shower Width (mm)	100
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	20	15

### Bathroom Water Shower ( 106 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	Types of Shower	Hand Shower
CONSTRUCTION	Material	Leaded Tin Bronze Grade LTB-2 of IS 318/1981

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Inlet Length of Shower Pipe (mm)	150.0 (millimeter)
	Shower Diameter / Length (mm)	100
	Shower Width (mm)	100
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	50	15
2	*****	*****Jorhat	46	15
3	*****	*****TINSUKIA	10	15

### Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 114 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Item and Shape	Pillar Tap ( fig 2 RHS of IS 8931/1993)
	Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut	Copper tube
	Knob, Knob components. Divertor and Divertor Components	Leaded Tin Bronze

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Brass Rod (Extruded or Rolled)
	<b>Flange</b>	Leaded Tin Bronze
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	No
	<b>Divertor Provided</b>	Yes
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	Yes
	<b>ISI marked</b>	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	70	15
2	*****	*****Jorhat	44	15

**Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 52 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Type of Tap/ Valve	Stop Valve
	Materials used for the manufacture body of Tap/ Valve	PBT
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 &quot;)
	Finish for Taps/ valves	Powder Coating
	Threading of Taps/ Valve	Internal
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	10	15
2	*****	*****Jorhat	42	15

### Towel Rail / Ring For Bathroom ( 35 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Leaded Brass Grade DCB-2 of IS 1264/1997 for Towel Ring
	Minimum Thickness of pipe	1.0 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Color	Steel
	Shape	Ring
	Towel Ring Inner Diameter	150 mm
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	2

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	35	15

### Toilet Seat Covers (V2) ( 55 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Physical Characteristics	Material of cover	Plastic
Dimensions	Length of cover(in cm)	20-30
	Width of cover(in cm)	30-35
	Warranty	1, 2, 3 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Test Report	<b>Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification</b>	No
	<b>Test Report to be furnished to the buyer on demand</b>	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	50	15
2	*****	*****TINSUKIA	5	15

### **Bathroom Water Shower ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Thickness of Ni-Cr coating</b>	NA
	<b>Types of Shower</b>	Basic ABS Showers
CONSTRUCTION	<b>Material</b>	ABS PLASTIC
	<b>Inlet Length of Shower Pipe (mm)</b>	150.0 (millimeter)
	Inlet Diameter of Shower Pipe (mm)	15
	<b>Shower Diameter / Length (mm)</b>	50
	<b>Shower Width (mm)</b>	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	10	15

### Connection Pipe With Nuts (V2) ( 449 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Washer Provided	Yes
Material	Connection Pipe Material	PVC Metal Braided Pipe
	Connection Nut Material	Brass Or higher
	Washer Material	Silicon Or higher
Dimensions	Connection Thread Size(in mm)	15
	Length of Connection Pipe(in mm)	450
	Pressure Rating(kg/cm <sup>2</sup> )	1, 2, 3, 4, 5, 6 Or higher
	Diameter of Pipe (in mm)	15
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****DHEMAJI	100	15
2	*****	*****TINSUKIA	120	15
3	*****	*****Jorhat	189	15
4	*****	*****TINSUKIA	40	15

**Bathroom Water Shower ( 99 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Thickness of Ni-Cr coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Types of Shower</b>	Concealed Showers
CONSTRUCTION	<b>Material</b>	Stainless Steel of thickness 0.9 mm and Grade Designation X04Cr19Ni9 of IS 5522/1992
	<b>Inlet Length of Shower Pipe (mm)</b>	150.0 (millimeter)
	Inlet Diameter of Shower Pipe (mm)	15
	<b>Shower Diameter / Length (mm)</b>	75
	<b>Shower Width (mm)</b>	NA
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	5

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	40	15
2	*****	*****Jorhat	54	15
3	*****	*****TINSUKIA	5	15

**Waste Pipe ( 409 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of Waste Pipe	Plain
Material	Material of Pipe	HDPE
	Material of Waste Coupling attached with Pipe	HDPE
Dimension	Basin Connection Size (in mm)	40
	Length of Pipe(in mm)	750
	Pipe Outer Diameter(in mm)	25, 30
	Pipe Wall Thickness(in mm)	1.0

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	150	15
2	*****	*****Jorhat	231	15
3	*****	*****TINSUKIA	28	15

### Connection Pipe With Nuts (V2) ( 118 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Washer Provided	Yes
Material	Connection Pipe Material	PVC Metal Braided Pipe
	Connection Nut Material	Brass Or higher
	Washer Material	Silicon Or higher
Dimensions	Connection Thread Size(in mm)	15
	Length of Connection Pipe(in mm)	600
	Pressure Rating(kg/cm <sup>2</sup> )	1, 2, 3, 4, 5, 6 Or higher
	Diameter of Pipe (in mm)	15
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	30	15
2	*****	*****Jorhat	88	15

**Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 308 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Type of Tap/ Valve</b>	Bib Tap
	<b>Materials used for the manufacture body of Tap/ Valve</b>	Polytetra Methylene Terephthalate (PTMT)
	<b>Nominal Sizes of Plastic taps and stop valves</b>	15 mm (1/2 &quot;)
	<b>Finish for Taps/ valves</b>	Not applicable
	<b>Threading of Taps/ Valve</b>	External
	<b>Minimum Thickness in any portion of the body and bonnet for all sizes (mm)</b>	2.5

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DHEMAJI	50	15
2	*****	*****TINSUKIA	103	15
3	*****	*****Jorhat	126	15

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
4	*****	*****TINSUKIA	29	15

### Connection Pipe With Nuts (V2) ( 82 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Washer Provided	Yes
Material	Connection Pipe Material	PVC Metal Braided Pipe
	Connection Nut Material	Brass Or higher
	Washer Material	Silicon Or higher
Dimensions	Connection Thread Size(in mm)	15
	Length of Connection Pipe(in mm)	750
	Pressure Rating(kg/cm <sup>2</sup> )	1, 2, 3, 4, 5, 6 Or higher
	Diameter of Pipe (in mm)	15
TEST REPORT	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Jorhat	82	15

## Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 67 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	<b>Item and Shape</b>	Bib Tap (Extended Nozzle) (fig 3 RHS of IS 8931/1993)
	<b>Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut</b>	Copper tube
	<b>Knob, Knob components. Divertor and Divertor Components</b>	Plastic
	<b>Material of Spindle, Gland, Washer Plate, Nut, screws and pin</b>	Forged Brass
	<b>Flange</b>	Leaded Tin Bronze
	<b>Nominal Size (mm)</b>	15
	<b>Tap shall be Nickel Chrome Plated</b>	YES
	<b>Thickness of Ni-Cr Coating</b>	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	<b>Aerator Device Fiited with Pillar Tap</b>	No
	<b>Divertor Provided</b>	Yes
	<b>Flow Straightening Device Fiited with Pillar Tap</b>	No
	<b>ISI marked</b>	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Jorhat	67	15

### Cast Copper Alloy Screw Down Bib Taps And Stop Valves For Water Services As Per IS 781 ( 69 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Item	Stop Valve (Externally Threaded)
	Material of body and Bonnet	Cast Brass
	Nominal Size (mm)	15
	Finish	Cast Finish
	Material of Gland,Crutch (handle), Washer Plate	Leaded Tin, Bronze
	Shape of Shoulder at the Bonnet	Square
	ISI marked	Yes

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Jorhat	69	15

### Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 7 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Type of Tap/ Valve	Bib Tap
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 &quot;)
	Finish for Taps/ valves	Not applicable
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	7	15

**Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) ( 142 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Type of Tap/ Valve	Pillar Tap

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Materials used for the manufacture body of Tap/ Valve</b>	Polytetra Methylene Terephthalate (PTMT)
	<b>Nominal Sizes of Plastic taps and stop valves</b>	15 mm (1/2 &quot;)
	<b>Finish for Taps/ valves</b>	Not applicable
	<b>Threading of Taps/ Valve</b>	External
	<b>Minimum Thickness in any portion of the body and bonnet for all sizes (mm)</b>	2.5

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****DHEMAJI	100	15
2	*****	*****Jorhat	42	15

### Sinks ( 10 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Items	<b>Definition</b>	inset Sink
	<b>Type of Sink</b>	Single bowl without drainer platform
Specification	<b>Conformity to indian standard IS 2963/ IS 3311</b>	No
	<b>Product is BIS marked</b>	No
Material	<b>Material</b>	Austenitic stainless steel of Grade Designation X07Cr18Ni9 ( Numerical symbol 302 ) conforming

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Shape, Design and Colour	<b>Top Shape of the Bowl</b>	Rectangular
	<b>Sink with one small bowl</b>	No
	<b>Tap holes</b>	Without
	<b>No of Tap Holes</b>	NA
	<b>Over Flows Holes</b>	Without
Dimensions	<b>Overall Sink Length (mm)</b>	601-620
	<b>Overall Sink Width (mm)</b>	441-460
	<b>Bowl Length (mm)</b>	541-560
	<b>Bowl width (mm)</b>	401-420
	<b>Depth of Bowl (mm)</b>	200-220
	<b>Small Bowl Length (mm)</b>	NA
	<b>Small Bowl Width (mm)</b>	NA
	<b>Small Bowl depth (mm)</b>	NA
	<b>After Forming SS Sheet/Strip Thickness (mm)</b>	0.81-0.85
	<b>Diameter of Tap holes (mm)</b>	NA
	<b>Distance between two Tap holes (mm)</b>	NA
	<b>Waste outlet Size (mm)</b>	32
Finish	<b>Finish</b>	Polished

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	10	15

**Waste Pipe ( 90 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of Waste Pipe	Flexible
Material	Material of Pipe	PVC
	Material of Waste Coupling attached with Pipe	PVC
Dimension	Basin Connection Size (in mm)	40
	Length of Pipe(in mm)	750
	Pipe Outer Diameter(in mm)	30
	Pipe Wall Thickness(in mm)	1.0

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DHEMAJI	50	15
2	*****	*****TINSUKIA	20	15
3	*****	*****TINSUKIA	20	15

**Copper Alloy Fancy Taps For Bathroom As Per IS 8931 (Latest) ( 18 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Item and Shape	Concealed Stop Valve
	Material of Body , Body Components, Inlet tube, Nozzle, bonnet and back nut	Leaded Tin Bronze
	Knob, Knob components. Divertor and Divertor Components	Plastic
	Material of Spindle, Gland, Washer Plate, Nut, screws and pin	Forged Brass
	Flange	Leaded Tin Bronze
	Nominal Size (mm)	15
	Tap shall be Nickel Chrome Plated	YES
	Thickness of Ni-Cr Coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
	Aerator Device Fiited with Pillar Tap	Yes
	Divertor Provided	Yes
	Flow Straightening Device Fiited with Pillar Tap	Yes
	ISI marked	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****TINSUKIA	18	15

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

## 2. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

## 3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Current price list of branded products duly stamped and signed by respective OEM should be attached with bid participating in the bid.
2. NABL accredited lab test certificate shall be submitted along with Technical Bid and one copy at the time of delivery of items.
3. As per the specification of the items mentioned in bid, bidder shall upload the brand name of the items, along with cat part no, Make and MRP on a separate sheet along with technical bid.
4. Prospective bidders is to provide min 2 years warranty for every product or warranty as provided by OEM, whichever is higher. Warranty as per above clause is for replacement of defective item(s) and product will be replaced and delivered within 10 days, from the date of intimation given by the department, at department/ consignee location or as directed by consignee and suppliers shall bear all expenses for such transactions. Warranty clause must be part of Bill/Invoice
5. Bid specific authorization from OEM shall be uploaded along with technical bid.
6. GSTR-3B Last 1 Year uploaded.
7. The make of products shall be of E-in-Cs /any Command approved. Valid document in support i.e E-in-Cs /Eastern Command or other Command Approval Letter shall be submitted along with Bid.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.

8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**