



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5882717  
Dated/दिनांक : 03-02-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-02-2025 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-02-2025 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Patratu Vidyut Utpadan Nigam Limited
Organisation Name/संगठन का नाम	Patratu Vidyut Utpadan Nigam Limited
Office Name/कार्यालय का नाम	Jharkhand
क्रैता ईमेल/Buyer Email	buycon3.ntpc.tandwa@gembuyer.in
Total Quantity/कुल मात्रा	44
Item Category/मद केटेगरी	THERMOMETER,BI-METAL,R983002146,WIKA , XMTR,PRES DPT,9-32VDC,0-2KG or CM2,266DSH plus , CLOGGING INDICATOR,R928028409 , CONNECTOR,R900031155,BOSCH REXROTH , PRV,R900918162,REXROTH , VALVE,SOL,PLUG-IN CONNECTOR,24 or 48V , PRESSURE GAUGE,R983001955,BOSCH REXROTH , PLUG IN CONNECTOR,R901017048,REXROTH , CONNECTOR,R901445743,REXROTH , CLOGGING INDICATOR,R900220204,REXROTH , PLUG-IN CONNECTOR,R901017010 , PLUG-IN CONNECTOR,R901445777,REXROTH
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	THERMOMETER,BI-METAL,R983002146,WIKA , XMTR,PRES: DPT,9-32VDC,0-2KG/CM2,266DSH+, CLOGGING INDICATOR,R928028409, CONNECTOR,R900031155,BOSCH REXROTH, PRV,R900918162,REXROTH, VALVE,SOL,PLUG-IN CONNECTOR,24/48V, PRESSURE GAUGE,R983001955,BOSCH REXROTH, PLUG IN CONNECTOR,R901017048,REXROTH, CONNECTOR,R901445743,REXROTH, CLOGGING INDICATOR,R900220204,REXROTH, PLUG-IN CONNECTOR,R901017010, PLUG-IN CONNECTOR,R901445777,REXROTH
	<b>Searched String:</b> THERMOMETER,BI-METAL,R983002146,WIKA  Metal cylinder calorimeter, Portable Sealed Rechargeable Single Cells - Nickel - Metal Hydride (Rechargeable Batteries) as per IS 16048, 16046, Clinical Thermometer - Solid Stem Type, Candy Thermometer / Food Thermometer,

Bid Details/As per	Metal Storage Bins, Room Thermometer, Dial Type Bimetallic Temperature Gauge / Thermometer as per EN 13190, Telephone Junction Box, Metal Shelving Racks as per IS 1883, Aortic Cannula (V2)
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> XMTR,PRES: DPT,9-32VDC,0-2KG/CM2,266DSH+</p> <p>Reciprocating Air Compressors - Electric Motor Driven, Dynamic Visual Acuity (DVA) For Vertigo Clinics, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Non Sparking Double Open Ended Spanner (V2)</p> <p><b>Searched String:</b> CLOGGING INDICATOR,R928028409</p> <p>Phenolphthalein indicator, Executive Table (V2), Universal Indicator, Medical Training kit with Human mannequins for medical education or training, Phase Indicator, WEIGHT INDICATOR, THICKNESS MEASURING GAUGE, Bromocresol Green Indicator, Muffle Furnace, Cresol Red Indicator</p> <p><b>Searched String:</b> CONNECTOR,R900031155,BOSCH REXROTH</p> <p>Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Connector Mounting Hardware - Multi Plug, Field Mountable (FM45) Connector for Telecommunication</p> <p><b>Searched String:</b> PRV,R900918162,REXROTH</p> <p>Pressure Relief Device/Valve (PRV/PRD) For Oil Filled Transformer (BHEL), Executive Table (V2), Football Shoes, Muffle Furnace, Autoclave (ICMR Specs), Revolving Chair (V4), Digital Media Evaluation Educational Kit, Mobile Containers For Solid Waste (Industrial) - IS 12402, Office Chair (V3), Battery Cell as per IS 9128, IS 8144</p> <p><b>Searched String:</b> VALVE,SOL,PLUG-IN CONNECTOR,24/48V</p> <p>Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Plug In Relay, 24V DC (BHEL-SCR), Hydrogen (H2) Detector (V1), Solenoid Valve with Spring Return In/Exhaust, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Commercial CPVC Pipe Fittings, Portable Voice Recorder, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Directional Control Valve</p> <p><b>Searched String:</b> PRESSURE GAUGE,R983001955,BOSCH REXROTH</p> <p>Pressure Gauge - BHEL, Dial type indicating Pressure Gauges, Tyre Air Pressure Gauge, GAUGE PRESSURE (OFB-DEFENCE), Filter cum Pressure Regulator, Pressure and Vacuum Gauges as per IS:3624</p> <p><b>Searched String:</b> PLUG IN CONNECTOR,R901017048,REXROTH</p> <p>Electrical Plug, Connector Mounting Hardware - Multi Plug, Lawn Mowers, Plug In Relay, 24V DC (BHEL-SCR), Plug-In Protection Guard for RJ45 Ports, Dry Erase Writing Boards (V3), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V,</p>

<b>Bid Details/बिड विवरण</b>	110V, 220V, and 250V DC (BHEL-SCR), Hand Held Brush Cutter (V2), Commercial CPVC Pipe Fittings, HEDGE TRIMMER or HEDGE CUTTER
	<p><b>Searched String:</b> CONNECTOR,R901445743,REXROTH</p> <p>Hose connector, Executive Table (V2), Profibus Connector, Field Mountable (FM45) Connector for Telecommunication, RCA connector, SMA connector, Connector Mounting Hardware - Multi Plug, Connector Glass, Muffle Furnace, Standalone Needle Free Connector</p> <p><b>Searched String:</b> CLOGGING INDICATOR,R900220204,REXROTH</p> <p>Silica Gel as per IS 3401</p> <p><b>Searched String:</b> PLUG-IN CONNECTOR,R901017010</p> <p>Electrical Plug, Connector Mounting Hardware - Multi Plug, Lawn Mowers, Plug In Relay, 24V DC (BHEL-SCR), Plug-In Protection Guard for RJ45 Ports, Dry Erase Writing Boards (V3), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Hand Held Brush Cutter (V2), Commercial CPVC Pipe Fittings, HEDGE TRIMMER or HEDGE CUTTER</p> <p><b>Searched String:</b> PLUG-IN CONNECTOR,R901445777,REXROTH</p> <p>Electrical Plug, Connector Mounting Hardware - Multi Plug, Lawn Mowers, Plug In Relay, 24V DC (BHEL-SCR), Plug-In Protection Guard for RJ45 Ports, Dry Erase Writing Boards (V3), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Hand Held Brush Cutter (V2), Commercial CPVC Pipe Fittings, HEDGE TRIMMER or HEDGE CUTTER</p>
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Candy Thermometer / Food Thermometer</li> </ul>
<b>BOQ Title/बीओक्यू शीर्षक</b>	REXROTH MAKE C and I SPARES
<b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>	No
<b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>	No
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	THERMOMETER,BI-METAL,R983002146,WIKA
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	892089.16

**Bid Details/बिड विवरण**

<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

PATRATU VIDYUT UTPADAN NIGAM LIMITED  
PATRATU VIDYUT UTPADAN NIGAM LIMITED , ADM Building, P.O.- PTPS , Patratu, Distt- Ramgarh Jharkhand Pin - 829119  
(Patratu Vidyut Utpadan Nigam Limited)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**Details of the Competent Authority for MII**

Name of Competent Authority	PVUNL
Designation of Competent Authority	PVUNL
Office / Department / Division of Competent Authority	PVUNL
CA Approval Number	1
Competent Authority Approval Date	31-01-2025
Brief Description of the Approval Granted by Competent Authority	Single tender OEM / OES basis hence Exempted from MLC

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

## **THERMOMETER,BI-METAL,R983002146,WIKA**

### **Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### **Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	240

### **XMTR,PRES DPT,9-32VDC,0-2KG Or CM2,266DSH Plus**

#### **Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### **Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	240

### **CLOGGING INDICATOR,R928028409**

#### **Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	4	240

**CONNECTOR,R900031155,BOSCH REXROTH****Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	240

**PRV,R900918162,REXROTH****Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	4	240

**VALVE,SOL,PLUG-IN CONNECTOR,24 Or 48V****Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	5	240

**PRESSURE GAUGE,R983001955,BOSCH REXROTH****Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	4	240

**PLUG IN CONNECTOR,R901017048,REXROTH****Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	4	240

**CONNECTOR,R901445743,REXROTH****Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	3	240

**CLOGGING INDICATOR,R900220204,REXROTH**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	6	240

**PLUG-IN CONNECTOR,R901017010**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	6	240

**PLUG-IN CONNECTOR,R901445777,REXROTH**

**Technical Specifications/तकनीकी विशिष्टियाँ**

**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	240

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

## 1. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

## 2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

## 3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1 ) Subject Tender is being issued on Single Tender (OEM/OES) Basis , The OEM for the subject Items is BOSCH REXROTH INDIA PRIVATE LIMITED ,survey no:206/2A,Sanand Viramgam ,AHMEDABAD (Code:0001017357)and OES is BHARAT HEAVY ELECTRICALS LTD ,MAURYA LOK COMPLEX,BLOCK-B-1/23 ,PATNA(Code:0001062322). Offer from OEM or OES or the authorized dealer with proper authorization from OEM will be accepted. The Bid received from any other Bidder, will be outrightly rejected .

### 2) PBG:

The successful bidder shall be required to furnish The Performance Bank Guarantee (PBG) for an amount equal to 5% of total PO value. PBG should be valid for a period of Fourteen months beyond the expiry of warranty. Confirmation of BGs (including Bid Security) through Structured Financial Messaging System (SFMS) /SWIFT ): While issuing the physical BGs, the Bidder's Bank shall also send electronic message through secure SFMS (in case of BGs issued from within India) or SWIFT (in case of BGs issued from outside India) to Employer's Beneficiary Bank whose details are provided herein below: (i) Bank Name: State Bank of India

(ii) Branch: Patratu

(iii) IFSC Code: SBIN0002992

BG issuing/amending bank must send the BG advice in the form of message format via SFMS(Structured Financial Messaging System) as provided by RBI. The BG should be on non-judicial stamp paper/e-stamp paper of appropriate value as per Stamp Act prevailing in the State(s) where the BG is submitted or is to be executed upon or the rate prevailing in the State where the BG is executed, whichever is higher. The prevailing rate of non-judicial stamp paper value for BG in state of Jharkhand is Rs. 1000/- subject to change as per Govt. notification. The date, purpose of purchase and name of the purchaser should be indicated on the stamp paper. The stamp papers (other than e-stamp paper) should be duly signed by the stamp vendor. The date of sale of the non-judicial stamp paper, as indicated on the stamp paper should be of any date on or before the date of execution of the BG. The name of the Purchaser of stamp paper may either be the executing Bank or the party on whose behalf the BG is issued. Extension of all BGs should be on Stamp paper of same value as that of the original BG. Minimum extension of any BG should be three months.

### 3) NIL - DEVIATION

The sellers who participate in current Tender are deemed to have fully accepted all Terms & Conditions, Technical Specifications, Data Sheets, Drawings, Quality Plans, Buyer Added Bid Specific Terms and Conditions given in Bidding Documents, read in conjunction with Amendment(s)/ Clarification(s)/ Addenda/ Errata (if any) issued by the Buyer prior to opening of Techno-Commercial Bids, and the same are supposed to have been taken into consideration while making their Techno-Commercial Bid & Price Bid. Further it is construed that no deviation has been taken by the seller in this regard. In case any documents/ details/ catalogues are found to have been submitted by the bidder along with its bid, which is in contravention to buyer's bidding documents, those will not be taken into cognizance and will stand automatically withdrawn.

## 4. **Inspection**

Materials shall be guaranteed for 12 months from the date of commissioning or 18 months from the date of supply whichever is earlier.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---

