

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	15-09-2025 20:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	15-09-2025 20:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Home Affairs
विभाग का नाम/Department Name	Central Armed Police Forces
संगठन का नाम/Organisation Name	Indo Tibetan Border Police (itbp)
कार्यालय का नाम/Office Name	23 Bn
कुल मात्रा/Total Quantity	34
वस्तु श्रेणी /Item Category	Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636 (Q2) , Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked to IS 15633 (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	5 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is

not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To Is 15636	4
Schedule 2	Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To Is 15636	10
Schedule 3	Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To Is 15636	7
Schedule 4	Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To Is 15636	7
Schedule 5	Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To Is 15636	5
Schedule 6	Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To Is 15633	1

Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (4 pieces)

तकनीकी विशिष्टियाँ / **Technical Specifications**

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	9.00-20

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charanjeet Singh	248146,23rd bn itbp seemadwar dehradun	4	15

Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (10 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	9.00-20

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charanjeet Singh	248146,23rd bn itbp seemadwar dehradun	10	15

Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (7 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Special-use Tyre
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply)
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	20 (508 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service
	Tyre-size designation	10.00-20

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charanjeet Singh	248146,23rd bn itbp seemadwar dehradun	7	15

Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (7 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres, Special-use Tyre, Snow Tyre
	Tyre Type	Tubeless Tyre, Tyre with Tube, Tube-Type Tyre (without Tube)
	Structure	Diagonal (bias-ply), Radial
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	10 (254 mm), 12 (305 mm), 13 (330 mm), 14 (356mm), 15 (381mm), 16 (406 mm), 17.5 (445 mm), 19 (483 mm), 19.5 (495mm), 20 (508 mm), 21 (533 mm), 22 (559 mm), 22.5 (572 mm), 24 (610 mm), 24.5 (622 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service, Light Truck Tyres, Mining and Logging Tyres for use in Intermittent Highway Service, Ultra-Light Truck Tyres, Light Truck and Truck Tyres For Military Applications, Special Purpose Tyres for Military Applications (Sand-cum-Highway), Truck Tyres For Military Applications, Low Platform Trailer Tyres (Free-Rolling sizes)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Tyre-size designation	7.00-20, 7.50-20, 8.25-20, 9.00-20, 10.00-20, 11.00-20, 12.00-20, 11.00-22, 10-22.5, 11-22.5, 12-22.5, 11.00-24, 12.00-24, 11-24.5, 295/95D20, 6.00-16, 6.40-15, 6.50-16, 6.70-15, 7.00-15, 7.50-15, 7.00-16, 7.50-16, 8.25-16, 9.00-16, 4.50-10, 5.00-10, 14.00-20, 4.00-10 ULT, 4.50-10 ULT, 5.00-10 ULT, 4.50-12 ULT, 5.00-12 ULT, F78 - 15 LT, 8.25R20, 9.00 R20, 10.00R20, 11.00R20, 12.00R20, 14.00R20, 11.00R22, 10R22.5, 11R22.5, 12R22.5, 12.00R24, 11R24.5, 295/90R20, 7.00R15LT, 7.50R15LT, 7.00R16LT, 7.50R16LT, 8.25R16LT, 175/65R14LT, 195/65R16LT, 205/65R16LT, 215/65R16LT, 235/65R16LT, 175/70R14LT, 215/70R15LT, 255/70R15LT, 215/75R15LT, 225/75R15LT, 235/75R15LT, 205/75R16LT, 215/75R16LT, 225/75R16LT, 145/80R12LT, 215/80R14LT, 195/80R15LT, 205/80R16LT, 185/85R16LT, 235/85R16LT, 145R12 LT, 155R12 LT, 215R14 LT, 195R15 LT, 205R16LT, 385/55R22.5, 295/60R22.5, 315/60R22.5, 385/65R22.5, 245/70R17.5, 245/70R19.5, 265/70R19.5, 285/70R19.5, 255/70R22.5, 275/70R22.5, 315/70R22.5, 215/75R17.5, 225/75R17.5, 235/75R17.5, 275/80R22.5, 295/80R22.5, 315/80R22.5, 325/95R24, 13R22.5, 145/80D12LT, 155/80D12LT, 165/80D12LT, 165/80D13LT, 165/80D14LT, 175/80D14LT, 185/80D14LT, 195/80D15LT, 215/80D14LT, 165D12LT, 165D13LT, 165D14LT, 175D14LT, 185D14LT, 205D14LT, 7. 00 - 15 MS, 6. 00 - 16 MS, 7. 00 - 16 MS, 9. 00 - 16 CC, 9. 00- 16/5 CC, 10. 50 - 16 CC, 8. 25 - 19 CC, 7. 50 - 20 CC, 8. 25 - 20 CC, 9 .00 - 20 CC, 10. 00 - 20 CC, 11. 00 - 20 CC, 12. 00 - 20 CC, 14. 00 - 20 CC, 7.50-16 SCH, 8.25-20 SCH, 9.00-13 SCH, 11.00-20 SCH, 12.00-20 SCH, 14.00-20 SCH, 1300x530-533SCH, 355/90-20 SCH, 325D20 CC, 365/85D20 CC, 355/90-20 CC, 11.00-20 Sand, 365/90-20 Sand, 8.25-15

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charanjeet Singh	248146,23rd bn itbp seemadwar dehradun	7	15

Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply Marked To IS 15636 (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal-use Tyres, Special-use Tyre, Snow Tyre
	Tyre Type	Tyre with Tube
	Structure	Diagonal (bias-ply), Radial
	Nominal Rim Diameter Code 'd' and Value of 'd' (In mm) as per Table 1 (Clause 3.17) of IS 15636	10 (254 mm), 12 (305 mm), 13 (330 mm), 14 (356mm), 15 (381mm), 16 (406 mm), 17.5 (445 mm), 19 (483 mm), 19.5 (495mm), 20 (508 mm), 21 (533 mm), 22 (559 mm), 22.5 (572 mm), 24 (610 mm), 24.5 (622 mm)
	Suitable For	Truck, Bus and Trailer Tyres in Highway Service, Light Truck Tyres, Mining and Logging Tyres for use in Intermittent Highway Service, Ultra-Light Truck Tyres, Light Truck and Truck Tyres For Military Applications, Special Purpose Tyres for Military Applications (Sand-cum-Highway), Truck Tyres For Military Applications, Low Platform Trailer Tyres (Free-Rolling sizes)
	Tyre-size designation	7.00-20, 7.50-20, 8.25-20, 9.00-20, 10.00-20, 11.00-20, 12.00-20, 11.00-22, 10-22.5, 11-22.5, 12-22.5, 11.00-24, 12.00-24, 11-24.5, 295/95D20, 6.00-16, 6.40-15, 6.50-16, 6.70-15, 7.00-15, 7.50-15, 7.00-16, 7.50-16, 8.25-16, 9.00-16, 4.50-10, 5.00-10, 14.00-20, 4.00-10 ULT, 4.50-10 ULT, 5.00-10 ULT, 4.50-12 ULT, 5.00-12 ULT, F78 - 15 LT, 8.25R20, 9.00 R20, 10.00R20, 11.00R20, 12.00R20, 14.00R20, 11.00R22, 10R22.5, 11R22.5, 12R22.5, 12.00R24, 11R24.5, 295/90R20, 7.00R15LT, 7.50R15LT, 7.00R16LT, 7.50R16LT, 8.25R16LT, 175/65R14LT, 195/65R16LT, 205/65R16LT, 215/65R16LT, 235/65R16LT, 175/70R14LT, 215/70R15LT, 255/70R15LT, 215/75R15LT, 225/75R15LT, 235/75R15LT, 205/75R16LT, 215/75R16LT, 225/75R16LT, 145/80R12LT, 215/80R14LT, 195/80R15LT, 205/80R16LT, 185/85R16LT, 235/85R16LT, 145R12 LT, 155R12 LT, 215R14 LT, 195R15 LT, 205R16LT, 385/55R22.5, 295/60R22.5, 315/60R22.5, 385/65R22.5, 245/70R17.5, 245/70R19.5, 265/70R19.5, 285/70R19.5, 255/70R22.5, 275/70R22.5, 315/70R22.5, 215/75R17.5, 225/75R17.5, 235/75R17.5, 275/80R22.5, 295/80R22.5, 315/80R22.5, 325/95R24, 13R22.5, 145/80D12LT, 155/80D12LT, 165/80D12LT, 165/80D13LT, 165/80D14LT, 175/80D14LT, 185/80D14LT, 195/80D15LT, 215/80D14LT, 165D12LT, 165D13LT, 165D14LT, 175D14LT, 185D14LT, 205D14LT, 7. 00 - 15 MS, 6. 00 - 16 MS, 7. 00 - 16 MS, 9. 00 - 16 CC, 9. 00- 16/5 CC, 10. 50 - 16 CC, 8. 25 - 19 CC, 7. 50 - 20 CC, 8. 25 - 20 CC, 9 .00 - 20 CC, 10. 00 - 20 CC, 11. 00 - 20 CC, 12. 00 - 20 CC, 14. 00 - 20 CC, 7.50-16 SCH, 8.25-20 SCH, 9.00-13 SCH, 11.00-20 SCH, 12.00-20 SCH, 14.00-20 SCH, 1300x530-533SCH, 355/90-20 SCH, 325D20 CC, 365/85D20 CC, 355/90-20 CC, 11.00-20 Sand, 365/90-20 Sand, 8.25-15

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charanjeet Singh	248146,23rd bn itbp seemadwar dehradun	5	15

Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked To IS 15633 (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Category of use	Normal Road Tyre, Special Tyre, Snow Tyre
	Tyre Type	Tubeless Tyre, Tyre with Tube, Tube-Type Tyre (without Tube)
	Structure	Diagonal (Bias-Ply), Radial
	Rim Diameter (In Inch)	10, 12, 13, 14, 15, 16, 17, 18, 19, 20

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Tyre-size designation	5.20-10, 4.50-12, 5.20-12, 5.20-13, 5.60-13, 5.90-13, 6.40-13, 5.20-14, 5.60-14, 5.90-14, 5.60-15, 5.90-15, 6.40-15, 6.70-15, 5.75/6.00-16, 6.50/6.70-16, 7.25-13, 7.00-14, 7.50-14, 5.65-12, 6.15-13, 6.95-14, 8.25-14, F78-15, 145/80 R10, 135/80 R12, 145/80 R12, 155/80 R12, 145/80 R13, 155/80 R13, 165/80 R13, 175/80 R13, 145/80 R14, 155/80 R14, 165/80 R14, 175/80 R14, 165/80 R15, 195/80 R15, 205/80R16, 215/75 R15, 235/75 R15, 215/75 R16, 225/75 R16, 235/75R16, 245/75R16, 265/75 R16, 135/70R12, 145/70 R12, 155/70 R12, 145/70 R13, 155/70 R13, 165/70 R13, 175/70 R13, 185/70R13, 155/70R14, 165/70R14, 175/70 R14, 185/70 R14, 195/70R14, 205/70R14, 195/70 R15, 205/70R15, 225/70 R15, 255/70R15, 265/70 R15, 205/70R16, 215/70R16, 235/70 R16, 245/70R16, 255/70 R16, 265/70 R16, 275/70R16, 265/70R17, 265/70R18, 145/65 R13, 175/65R15, 185/65R15, 195/65 R15, 205/65 R15, 215/65R15, 205/65 R16, 215/65R16, 255/65R16, 225/65R17, 235/65R17, 245/65R17, 255/65R17, 265/65R17, 275/65R17, 285/65R17, 185/60R15, 195/60 R15, 205/60 R15, 225/60R15, 195/60R16, 205/60 R16, 215/60 R16, 225/60 R16, 215/60R17, 225/60R17, 235/60R17, 255/60 R17, 225/60 R18, 235/60 R18, 245/60 R18, 265/60 R18, 285/60 R18, 185/55R15, 195/55R15, 205/55R15, 195/55 R16, 205/55 R16, 215/55 R16, 225/55 R16, 215/55 R17, 225/55R17, 235/55R17, 215/55R18, 225/55R18, 255/55R18, 225/55R19, 195/50R15, 205/50R15, 195/50R16, 205/50R16, 225/50 R16, 205/50R17, 215/50R17, 225/50R17, 235/50R18, 245/50R18, 265/50R20, 285/50R20, 215/45R15, 195/45R16, 205/45R16, 205/45R17, 215/45R17, 225/45R17, 235/45R17, 245/45R17, 255/45 R17, 225/45R18, 235/45R18, 245/45R18, 255/45R18, 205/40R17, 215/40R17, 235/40R17, 225/40R18, 235/40R18, 245/40R18, 245/40R19, 215/35R18, 275/35R18, 235/35R19, 255/35R19, 275/35R19, 235/35R20, 245/35R20, T105/90D12, T115/90R18 113M, T135/90R16
	Speed Category Symbol and Maximum Speed (km/h)	L (120), M (130), N (140), P (150), Q (160), R (170), S (180), T (190), U (200), H (210), V (240), W (270), Y (300)
	Warranty (In Years)	1, 2, 3 Or higher
Certification & Testing		

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Specification Document	View
-----------------------------------	----------------------

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charanjeet Singh	248146,23rd bn itbp seemadwar dehradun	1	15

Special terms and conditions-Version:1 effective from 09-06-2025 for category Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636

1. Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

Special terms and conditions-Version:1 effective from 02-06-2025 for category Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked to IS 15633

1. Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Technical Specifications Terms and conditions for the supply of Tyre For Tata 1212/1613 Sml 4wd Truck. Tata Truck Bus Vehicles in respect of 23 BN ITBP Force Seemadwar Dehradun Uttarakhand 248146

TYRE SIZE 9 00 20 RIB TYPE WITH TUBE FLAP

TATA BUS 1512

04 NO

10 NG

Specifications Golden Parameter As Per Norms

TYRE SIZE 900 20 LUG TYPE WITH TUBE FLAP

SMLAWD TRUCK

07 NO

TYRE SIZE 10 00 20 RIB TYPE WITH TUBE FLAP

TATA 1212 TRUCK

Genuine CEAT MRF APPOLO JK TYRE

TYRE SIZE 750 16 RIB TYPE WITH TUBE FLAP

SML BUS

07 NO

TYRE SIZE 7 50 16 LUG TYPE WITH TUBE FLAP

TATA 407

OSNO

TYRE SIZE 235 70 R16 TUBELESS TYRE

SCORPIO

01 NO

Company Tyre And Prescribed For Tata 1212 1613 Sml 4wd Truck Tata Truck Bus Scorpio Vehicles

TOTAL TYRE

34 NO

1 It is the sole responsibility of successful bidder to deliver above Tyre Tata 1212 1512 Sml 4wd Truck Bus Scorpio Vehicles At MT Store of 23TH BN ITBP SEEMADWAR DEHRAUN

2 Firm has to submit experience certificate past performance bidder turnover msme certificate and warranty guaranty certificate in case any bidder is seeking exemption from experience turnover criteria the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

3 For any query of tyres firm may contact buyer through email of unit itcel123rdbnitbpgovin

MOTOR TRANSPORT OFFICER

23 BN ITBP FORCE

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.

3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---