

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	30-09-2025 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	30-09-2025 19:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Madhya Pradesh
विभाग का नाम/Department Name	Home Department Madhya Pradesh
संगठन का नाम/Organisation Name	Indore Police
कार्यालय का नाम/Office Name	Superintendent Of Police Radio Zone Indore
कुल मात्रा/Total Quantity	28945
वस्तु श्रेणी /Item Category	PoE Switch , Surge Protector , Dc Adapter For PTZ Camera , Dc Adapter For Bullet Camera , Splicing Sleeves , Ethernet Cable Adapter , Rj 45 Connector , Cat - 6 Cable bundle of 305 meter , Emergency Light , Digital Hand Held Oscilloscope , Audio and radio frequency signal generators , Ladder 20 feet , LAN Tester , Electronic Component Tester , Fire Extinguisher , Solderless Breadbord Kit , OFC armoured Cable , OFC Unarmoured Cable
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	PoE Switch , Surge Protector, Dc Adapter For PTZ Camera, Dc Adapter For Bullet Camera, Splicing Sleeves , Ethernet Cable Adapter , Rj 45 Connector, Cat - 6 Cable (bundle of 305 meter), Emergency Light , Digital Hand Held Oscilloscope , Audio and radio frequency signal generators, Ladder 20 feet , LAN Tester, Electronic Component Tester , Fire Extinguisher , Solderless Breadbord Kit, OFC armoured Cable, OFC Unarmoured Cable
	Searched String: PoE Switch Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Plug and Socket Distribution Board, Isolator switch, Limit Switch, Layer 2 Access Switch (V2), Reed Switch, Rotary Switch, Electrical Extension Box (V4), Time Switch, modular electrical enclosure switch board boxes for modular type accessories Searched String: Surge Protector AEK Surge Protector, Mattress protector cum bed sheets for hospitals, Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Body Protector, RJ-45 Based Surge Suppressor, OVERVOLTAGE PROTECTOR, Full Body Protector for Male (MHA), Screen Protector,

बिड विवरण / Bid Details	Welding Goggles for Eye Protector as per IS 5983, Transducer Protector
	Searched String: Dc Adapter For PTZ Camera Camera for CCTV System (V3), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Circuit Breakers for DC Operation, Cables suitable for CCTV System (Accessories), DC ADAPTOR FOR CDSC (OFB), E - Cart for Garbage (V2), Retinal Camera or Fundus Camera for Eye Neonatal Screening - RBSK, Video Conferencing Camera / Web Camera (V2), Docking Station for Body Worn Camera, Chest Harness (Accessories for Action Camera) Searched String: Dc Adapter For Bullet Camera Bullet Recovery Box, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Camera for CCTV System (V3), Portable Vein Viewing Device for Vascular Imaging, Circuit Breakers for DC Operation, E - Cart for Garbage (V2), DC ADAPTOR FOR CDSC (OFB), Retinal Camera or Fundus Camera for Eye Neonatal Screening - RBSK, Docking Station for Body Worn Camera, Dental examination chairs Searched String: Splicing Sleeves Sleeves for DVT Pump, MEDICAL GOWNS - DISPOSABLE, Adaptor sleeve along with locknut and washer, Optical Fibre Splicing Machine (V2) as per TEC 88090:2012, Ribbon Optical Fiber Splicing Machine as per TEC Specification, PT Uniform (T - Shirt Half Sleeve) (Defence), Electrical Sleeves as per IS 11654, IS 5831, Shirts Plain Weave Polyester and Cotton Full Sleeve, T - Shirt Half Sleeves with Collar for Ministerial Staff of CAPFS (MHA) QRs, Shirt Polyestera and Cotton Half Sleeve for IAF Personnel Searched String: Ethernet Cable Adapter Adapter, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Industrial Ethernet Switch, synthetic web equipment improved version, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Threaded Pipe Adapter, Cables, Converters and Adapters, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Laboratory Glass Adapters Searched String: Rj 45 Connector RJ-45 Based Surge Suppressor, Connector Mounting Hardware - Multi Plug, Hose connector, Profibus Connector, Hot air oven, RCA connector, SMA connector, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Connector Glass, LCR Meter Searched String: Cat - 6 Cable (bundle of 305 meter) CAT 6 Cable for Outdoor, Cat 6 Cable for Indoor Use, LCR Meter, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Cables suitable for CCTV System (Accessories), synthetic web equipment improved version, Laser Range Finder, Correction Tape, elastic zinc oxide adhesive bandage

बिड विवरण / Bid Details	Searched String: Emergency Light
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Emergency Light Unit (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Flameproof LED Emergency Light, Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), emergency recovery trolley, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Emergency / Survival Ration (Defence), Hand Held Search Light Searched String: Digital Hand Held Oscilloscope Digital Storage Oscilloscope, Digital Multimeter, hand held gps, Hand Held Search Light, Hand Held Calibrator, true rms clamp meter, Hand Held Keratometer, Hand Held Brush Cutter (V2), Hand Held Particle Counter, hand held metal detector - security metal detector Searched String: Audio and radio frequency signal generators Radiofrequency Generator with Vessel Sealing and Bipolar Resection, Audio Digital Signal Processor Searched String: Ladder 20 feet HYDRAULIC LADDER, Laminar air flow cabinets or stations, Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence), Platform Step Ladder (V2), CK 20 Antibody, Cleaning Duster (V3), Acetamiprid 20% SP, Online UPS (V2), Protein ladder marker, Cleaning Duster (V2) Searched String: LAN Tester Cable network tester, Insulation Tester, LAN Extender, Compression Testing Machine, Battery Tester, modular electrical switches and accessories, Line Tester, Router, Flammability Tester - (Textile), Portable Hardness Tester Searched String: Electronic Component Tester Electronic component cleaner (co2), Electronic component cleaner Sprayer, Storage Box for Electronic Component, Air Curtain, Automatic Milk Collection Unit with Electronic Milk Tester, Digital Pull - off Adhesion Tester (V2), Insulation Tester, Electronic Hooter, Desktop Calculator - Electronics, Electronic Lectern Searched String: Fire Extinguisher Co2 Based Wheeled Fire Extinguishers (V2) ISI Marked to IS 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Foam Based Wheeled Fire Extinguishers (V2) ISI Marked to IS 16018, Charge Fire Extinguisher Fire Dry Powder 2 Kg (Defence), Water Based Wheeled Fire Extinguishers (V2) ISI Marked to IS 16018, Automatic Fire Ball for Fire - Extinguishing, Powder Based Wheeled Fire Extinguishers (V2) ISI Marked to IS 16018, Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2), Movable Fire Extinguisher Stand, Fire Hose Cabinet Searched String: Solderless Breadbord Kit

बिड विवरण / Bid Details	Facial Kit, Networking Trainer Educational Kit, Waxing Kit, Ration Kit, personal safety kit reflective luminous garments, Sewing Kit, Rheumatoid Factor Test Kit - RA Test Kit (V2), SDR Kit, Biochemistry Reagent Kit (Open System), OVE Kit
	Searched String: OFC armoured Cable Armoured Optical Fibre Cable for Direct Burial (Underground), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Armoured Optical Fibre Cable as per RDSO/SPN/TC/110/2020, Splice Closure for Optical Fiber Cables, Cables suitable for CCTV System (Accessories), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Field Telephone Cable (Telecommunication Cable), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, VGA Cable, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694 Searched String: OFC Unarmoured Cable Field Telephone Cable (Telecommunication Cable), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), VGA Cable, ADSS Optical Fiber Cable (Defence), Cable termination, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Antenna Cable, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Control Cable, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• CAT 6 Cable for Outdoor • Fiber Optic Patch Cord • Platform Step Ladder (V2)
बीओक्यू शीर्षक / BOQ Title	CCTV Peripherals
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	9 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	10 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Audio and radio frequency signal generators
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	57200

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	0.01
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

ASI Radio

Superintendent of police Radio Zone Indore, Home Department Madhya Pradesh, Indore Police,
(Shailesh Kumar Tiwari)

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

PoE Switch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005, NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	16	15

Surge Protector

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	82	15

Dc Adapter For PTZ Camera**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	30	15

Dc Adapter For Bullet Camera**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	30	15

Splicing Sleeves

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	3000	15

Ethernet Cable Adapter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	25	15

Rj 45 Connector

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	700	15

Cat - 6 Cable Bundle Of 305 Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	16	15

Emergency Light

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	9	15

Digital Hand Held Oscilloscope

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	1	15

Audio And Radio Frequency Signal Generators

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	1	15

Ladder 20 Feet

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	7	15

LAN Tester

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	4	15

Electronic Component Tester

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	9	15

Fire Extinguisher

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	13	15

Solderless Breadbord Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	15

OFC Armoured Cable

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	5000	15

OFC Unarmoured Cable

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005, NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	20000	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

3. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

5. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

ATC

.

7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

8. **Warranty**

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

9. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

11. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

12. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

13. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

all requisite test report as per site condition

.

14. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

15. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला

सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा |/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---